



# MATERIAL SAFETY DATA SHEET

Page : 1

Revision nr : 1

Date : 7 / 2 / 2006

Supersedes : 0 / 0 / 0

## Power Steering Fluid Max

IND-AL CO 07

### 1. Identification of the product and the company

**Trade name** : Power Steering Fluid Max.  
**Use** : Automatic Transmission Fluid  
**Company identification** : Gulf Oil Corporation Limited,  
IN Centre,  
12th Road,  
Marol, Andheri (East)  
Mumbai - 400 093  
  
www.gulfoilltd.com  
**Emergency phone nr** : +91 22 66487777  
**- Company** : As above

### 2 Hazards identification

**Main hazards** : Not specifically applicable.  
**Adverse human health effects** : None under normal conditions.  
**Environmental hazards** : No specific risk for the environment.

### 3 Information on ingredients

**Composition (preparation)** : Mixture of highly refined mineral ( less than 3% DMSO extract-IP 346) and additives. This product is not considered to be hazardous but contains hazardous components.

Substance name	Value(s)	CAS nr	EINECS nr	EC index	CERTIFICATE
Alkoxyated long chain alkyl amine	: 0.5 - 1.02 %	----	----	----	Xn; R22 C; R34 R43
Alkyl alkoxy amine	: < 0.06 %	----	----	----	C; R34 N; R50-53
Alkyl dithiothiadiazole	: < 0.03 %	----	----	----	R43
Methacrylate	: < 0.3 %	----	----	607-134-00-4	Xi; R36/37/38
<b>Other information</b>	: See headings 16 for full text of relevant R-phrases				

### 4. First aid measures

**- Inhalation** : Assure fresh air breathing. If you feel unwell, seek medical advice.  
**- Skin contact** : Remove contaminated clothing and shoes. Wash skin thoroughly with mild soap and water. Never use kerosine or gasoline for cleaning the skin.  
**- Eye contact** : Rinse immediately with plenty of water. Seek medical attention if irritation develops.  
**- Ingestion** : DO NOT INDUCE VOMITING. Seek medical attention immediately.  
**General information** : If there is any suspicion of aspiration into the lungs either directly or as a result of vomiting, obtain medical advice.



# MATERIAL SAFETY DATA SHEET

Page : 2

Revision nr : 1

Date : 7 / 2 / 2006

Supersedes : 0 / 0 / 0

## Power Steering Fluid Max

IND-AL CO 07

### 5. Fire - fighting measures

- Flammable class** : Not classified by OSHA as flammable / NFPA RATINGS: H/0, F/1, R/0
- Suitable extinguishers** : Water fog. Carbon dioxide. Dry chemical. Foam. Sand.
- Extinguishers not to be used** : Do not use a heavy water stream.
- Surrounding fires** : Use water spray or fog for cooling exposed containers.
- Special exposure hazards** : Under fire conditions, hazardous fumes will be present. See also hazardous reactions § 10.
- Protection against fire** : Do not enter fire area without proper protective equipment, including respiratory protection.

### 6. Accidental release measures

- Personal precautions** : Avoid all unnecessary exposure. Remove ignition sources. Avoid release to the environment. Refer to special instructions and/or Safety Data Sheets. Equip cleanup crew with proper protection.
- Environmental precautions** : Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.
- After spillage and/or leakage** : Clean up any spills as soon as possible, using an absorbent material to collect it. Use suitable disposal containers. Spill area may be slippery.

### 7. Handling and storage

- General** : No naked lights. No smoking. Keep away from sources of ignition. For more information, refer to OSHA Standard 29 CFR 1910.106 or NFPA 77 or API Recommended Practice 2003
- Storage** : Keep only in the original container in a cool, well ventilated place. Keep at temperature not exceeding 45°C.
- Handling** : Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and when leaving work.

### 8. Exposure controls / personal protection

- Personal protection**
- **Respiratory protection** : No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation.
  - **Hand protection** : Use neoprene or rubber gloves.
  - **Skin protection** : No special clothing/skin protection equipment is recommended under normal conditions of use.
  - **Eye protection** : Safety glasses.
- Industrial hygiene** : Provide adequate ventilation to minimize dust and/or vapour concentrations. When using, do not eat, drink or smoke.
- Occupational Exposure Limits** : ACGIH 8 hour TLV-TWA : 5 mg/m<sup>3</sup> for oil mists. OSHA PEL-TWA: same value



# MATERIAL SAFETY DATA SHEET

Page : 3

Revision nr : 1

Date : 7 / 2 / 2006

Supersedes : 0 / 0 / 0

## Power Steering Fluid Max

IND-AL CO 07

### 9. Physical and chemical properties

Appearance	: Oily liquid.
Colour	: Red
Odour	: Light odour of petroleum.
pH value	: Not applicable
Pour point [°C]	: -39
Density [kg/m <sup>3</sup> ]	: 870
Viscosity at 100°C [mm <sup>2</sup> /s]	: 7.2
Solubility in water [% weight]	: Insoluble
Flash point [°C]	: 210

### 10. Stability and reactivity

Physico-chemical stability	: Stable.
Conditions to avoid	: Temperature exceeding : Flashpoint.
Materials to avoid	: Oxidizing agents. Strong acids, bases.
Hazardous decomposition products	: Carbon dioxide. Carbon monoxide. Hydrogen sulfide.
Hazardous reactions	: None under normal conditions.

### 11. Toxicological information

Acute toxicity	
- Inhalation	: no data available
Sensitization	: No sensitization effects known.
Other toxicological information	: Not specifically applicable. See OSHA Hazard Communication Standard (29 CFR 1910,200)

### 12. Ecological information

Ecological effects information	
LC50-96 Hour - fish [mg/l]	: No data available
48 Hrs-EC50 - Daphnia magna [mg/l]	: No data available.
Persistence and degradability	: Minimally biodegradable.
Bioaccumulative potential	: Not determined.
WGK class (Germany)	: 1 : low hazard to waters
Mobility soil	: No data available.

### 13. Disposal considerations

Disposal	: Dispose in a safe manner in accordance with local/national regulations. Contact your sales representative or local environmental or health authorities for approved disposal or recycling methods.
----------	---



# MATERIAL SAFETY DATA SHEET

Page : 4

Revision nr : 1

Date : 7 / 2 / 2006

Supersedes : 0 / 0 / 0

## Power Steering Fluid Max

IND-AL CO 07

### 14. Transport information

**General information**

- ADR/RID : Not regulated.
- IMO-IMDG code : Not regulated
- ICAO/IATA : Not regulated

### 15. Regulatory information

**EC Labelling**

- Symbol(s)** : None.
- R Phrase(s)** : None
- S Phrase(s)** : S29 : Do not empty into drains. ; dispose of this material and its container in a safe way (S35).

**Special Labelling**

- : Contains : Tertiary alkyl amines and Alkyl thiadiazole May produce an allergic reaction.

Material Safety Data Sheet available for professional users on request.

**Regul./ EINECS**

- : All components are in compliance with the EC Seventh amendment Directive 92/32/EEC

**SARA - USA**

- : Section 311 and 312 hazards classification(s) :

**US Toxic Substances Control Act - TSCA**

- : This product is listed on the TSCA inventory or otherwise complies with TSCA premanufacture notification requirements.

### 16. Other information

- R-phrases listed in chapter 2* : *R22 : Harmful if swallowed.*  
*R34 : Causes burns.*  
*R36/37/38 : Irritating to eyes, respiratory system and skin.*  
*R43 : May cause sensitization by skin contact.*  
*R50/53 : Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.*
- Further information** : CHEMICAL INVENTORIES:  
see country regulations.
- Revision Indicators** : None.

The contents and format of this MSDS are in accordance with EEC Commission Directive 93/112/EEC.

**DISCLAIMER OF LIABILITY** The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

End of document